





Click-A-Dex™ *enhanced index searching*

Click-A-Dex is an innovative way to quickly do a search by index entries for different code sets.

To start, select the “Tools” menu, then click on the “Click-A-Dex™ - Fast index searching.” menu:



Or from the home page, select the “Click-A-Dex™” icon:



This guide will help you:

- Search for an ICD-10-CM Code (p. 2)
- Search for an ICD-10-PCS Code (p. 6)
- Search the ICD-10-CM Drug Table (p. 8)
- Search the ICD-10-CM Neoplasm Table (p. 9)

Search for an ICD-10-CM Code

Understanding these new concepts will help you see how the comprehensive search works with Click-A-Dex and how easy it is to find new codes.


- ICD-10 is grouped by body part
- Categories are grouped by injury
- ICD-10 differentiates traumatic fractures from pathologic fractures
- You need to code the specific Location of the fracture
- You need to code Laterality
- You need to code the Encounter and Injury Extensions

Remember the RED FLAG,  this is essential in ICD-10-CM. Find-A-Code will show a RED FLAG on unspecified or incomplete code Indicating there is a more specific code. **Keep searching, don't stop there!**

Follow these steps to do a search for an ICD-10-CM code.

Under the "Index:" label is the option to select a code set. Click the down arrow to choose a code set/index.

Select "ICD-10-CM Index":



The image shows a screenshot of a web interface. On the left, the text 'Index:' is displayed. To its right is a dropdown menu with a light blue border. The menu is open, showing 'ICD-10-CM Index' as the selected option. A small downward-pointing triangle is visible to the right of the text in the dropdown.

We will search for the ICD-10-CM code for a "**PATHOLOGICAL FRACTURE of the LEFT ANKLE**". The above information is all a part of the desired code.

We will start with "FRACTURE", since we know categories are grouped by injury. Simply start typing the first several letters to see results. The index will give us a selection based on our entry.

(If you are unsure of the definitions involved in your choices - look up the term in the Medical Dictionary under the INFORMATION page.)

Remember the RED FLAG  on unspecified or incomplete codes Indicating there is a more specific code. **Keep searching, don't stop there!**

Click on the Green  to continue drilling down to a more specific code.




 **Click-A-Dex™** *enhanced index searching*

Index: Enter the first few letters:



Fracture, burst - *see* Fracture, traumatic, by site
Fracture, chronic - *see* Fracture, pathological
Fracture, insufficiency - *see* Fracture, pathologic, by site
 Fracture, pathological (pathologic) - *See Also* Fracture, traumatic M84.40 
 Fracture, traumatic (abduction) (adduction) (separation) - *See Also* Fracture, pathological T14.8

Need help? [Check out the User's Guide.](#) Rate this tool 



 Fracture, pathological (pathologic) - *See Also* Fracture, traumatic M84.40 

Diseases of the musculoskeletal system and connective tissue (M00-M99)
M80-M94 Osteopathies and chondropathies (M80-M94)
M80-M85 Disorders of bone density and structure (M80-M85)
M84 Disorder of continuity of bone
M84.4 Pathological fracture, not elsewhere classified
M84.40 Pathological fracture, unspecified site
 M84.40XA Pathological fracture, unsp site, init encntr for fracture
 M84.40XD Pathological fracture, unsp site, subs for fx w routn heal
 M84.40XG Pathological fracture, unsp site, subs for fx w delay heal
 M84.40XK Pathological fracture, unsp site, subs for fx w nonunion
 M84.40XP Pathological fracture, unsp site, subs for fx w malunion
 M84.40XS Pathological fracture, unspecified site, sequela

Look for Location:

With the specific body part being a part of the code and laterality involved, you will see several choices. Click-A-Dex will take you in the correct direction simply by selecting the next appropriate code.

RED FLAG  (Keep looking; M84.47 is not the correct code)

Select the correct body part:

- ankle M84.47
- carpus M84.44
- clavicle M84.41
- dental implant M27.63
- dental restorative material K08.539
- due to
- femur M84.45
- fibula M84.46
- finger M84.44

Look for Laterality:

Don't stop here; we know it was a pathological fracture of the LEFT ankle

M84.4 Pathological fracture, not elsewhere classified

M84.47 Pathological fracture, ankle, foot and toes

- M84.471 Pathological fracture, right ankle
- M84.472 Pathological fracture, left ankle
- M84.473 Pathological fracture, unspecified ankle
- M84.474 Pathological fracture, right foot
- M84.475 Pathological fracture, left foot

Select the correct ENCOUNTER:

M84.47 Pathological fracture, ankle, foot and toes

- M84.471 Pathological fracture, right ankle
- M84.472 Pathological fracture, left ankle
- M84.472A Pathological fracture, left ankle, init encntr for fracture
- M84.472D Pathological fracture, left ankle, subs for fx w routn heal
- M84.472G Pathological fracture, left ankle, subs for fx w delay heal
- M84.472K Pathological fracture, left ankle, subs for fx w nonunion
- M84.472P Pathological fracture, left ankle, subs for fx w malunion
- M84.472S Pathological fracture, left ankle, sequela

A - (BEFORE Treatment) 7th Character is an A - INITIAL ENCOUNTER

Sequela or Initial Encounter is when the patient is receiving active treatment.

M84.472A Pathological fracture, left ankle, init encntr for fracture

S - (AFTER Treatment) 7th Character is a S - SEQUELA

 M84.472S Pathological fracture, left ankle, sequela

D - Subsequent encounter indicator would be used in the following situations:

- cast change or removal
- removal of external or internal fixation device
- medication adjustment
- follow-up visits after fracture treatment



© Chaim Mintz

https://commons.wikimedia.org/wiki/File:Trimalleolar_Ankle_Fracture_Xray_shown_before_surgery_and_after_surgery.png

Keep in mind: Fractures have a different sets of 7th character codes that may be used, not just the three encounter codes (A - Initial, D - Subsequent, S - Sequela) used throughout injuries and certain categories.

Example:

- A Initial encounter for closed fracture
- B Initial encounter for open fracture
- D Subsequent encounter for fracture with routine healing
- G Subsequent encounter for fracture with delayed healing
- K Subsequent encounter for fracture with nonunion
- P Subsequent encounter for fracture with malunion
- S Sequela



Additional Documentation will be required in order to capture the episode of care for all fractures.

Search for an ICD-10-PCS Code

The modernized ICD-10 has new terminology and some of the key words you have become accustomed to in ICD-9 may have changed. For example “Appendectomy” is more specific using “Appendix Excision or Resection. Requiring the need to search for the specific body part as well as the general type of procedure just to get started.

With Click-A-Dex we only need the first several letters of our search. The index will give us a selection based on our entry. Let’s find the code in ICD-10 for a “Resection of Appendix with a Percutaneous Endoscopic approach”.

The following information is all a part of the desired code;

Medical and Surgical section (0)
Body system Gastrointestinal (D)
Root operation Resection (T)
Body part Appendix (J)
Percutaneous Endoscopic approach (4)
No Device (Z)
No Qualifier (Z)

Laparoscopic appendectomy: 0DTJ4ZZ

Select “ICD-10-PCS Index” and enter “appen” as we may be unsure if it under “Appendix” or “Appendectomy”:



Click-A-Dex™ *enhanced index searching*

Index: ICD-10-PCS Index

Enter the first few letters: appen

- + Appendectomy
- + Appendicolysis - see Release, Appendix 0DNJ
- + Appendicotomy - see Drainage, Appendix 0D9J

As shown above, the first entry is “Appendectomy”.

Click on the green plus circle to see the sub-entries:

- + Appendectomy
 - + see Excision, Appendix 0DBJ
 - + see Resection, Appendix 0DTJ

Since this is a resection, click on the green-plus icon next to “see Resection, Appendix 0DJT.”

You will now see:

- + Appendectomy
 - + see Excision, Appendix 0DBJ
 - + see Resection, Appendix 0DTJ
 - Section 0 - Medical and Surgical
 - Body System D - Gastrointestinal System
 - Root Operation T - Resection
 - Body Part J - Appendix
 -  0DTJ0ZZ Resection of Appendix, Open Approach
 -  0DTJ4ZZ Resection of Appendix, Percutaneous Endoscopic Approach
 -  0DTJ7ZZ Resection of Appendix, Via Natural or Artificial Opening
 -  0DTJ8ZZ Resection of Appendix, Endo

Click-A-Dex™ now displays the correct **Section, Body System, Root Operation** and **Body Part**. Next, select the approach used in the procedure. Once the desired code is located, click on the code to view the code information page as well as additional pertinent coding information to confidently report the following code.

Laparoscopic appendectomy: 0DTJ4ZZ

Search the ICD-10-CM Drug Tables

Follow these steps to do a search in the Drug and Chemical Tables.

Under the “Index:” label is the option to select a code set. Click the down arrow to choose a code set/index.

Select “ICD-10-CM Drug Table”:

Index:

Next enter the first few letters or the name of the drug in this box:

Enter the first few letters:

For example, we’ll search for “Propachlor.”

As the name of the drug is entered, the Index area will start building the information by listing all the codes beginning with “PROP.” It is easy to find codes even if you do not have the exact or complete spelling of the drug’s name.


Click-A-Dex™ *enhanced index searching*

Index: Enter the first few letters:

Note: Do not code from this index. The codes listed in this ICD-10-CM Drug index are not highest-specificity codes and usually require a 7th character (A,D,S). Click on a code link to see more specific codes.

	Poisoning, Accidental (unintentional)	Poisoning, Intentional self-harm	Poisoning, Assault	Poisoning, Undetermined	Adverse effect	Underdosing
Propachlor	T60.3X1	T60.3X2	T60.3X3	T60.3X4	--	--
Propafenone	T46.2X1	T46.2X2	T46.2X3	T46.2X4	T46.2X5	T46.2X6
Propallylonal	T42.3X1	T42.3X2	T42.3X3	T42.3X4	T42.3X5	T42.3X6
Propamidine	T49.0X1	T49.0X2	T49.0X3	T49.0X4	T49.0X5	T49.0X6

Keep in mind codes and usually require a 7th character (ex. A, D, or S). Click on a code link to see more specific codes.  A red flag indicates that the code is a non-specific code and there must be additional information (such as a “child” code or a 7th character) to be a complete code.

Search the ICD-10-CM Neoplasm Table

Follow these steps to do a search in the Drug and Chemical Tables.

Searching for codes in the Neoplasm Table is similar to the Drug Table. BUT, you need to start with the BODY part, and then be sure you are at the highest specificity.



Click-A-Dex™ *enhanced index searching*

Index:

ICD-10-CM Neoplasms

Enter the first few letters:

stom

	Malignant Primary	Malignant Secondary	Ca in situ	Benign	Uncertain Behavior	Unspecified Behavior
Neoplasm, neoplastic	C80.1	C79.9	D09.9	D36.9	D48.9	D49.9
stomach	C16.9	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; antrum (pyloric)	C16.3	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; body	C16.2	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; cardia	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; cardiac orifice	C16.0	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; corpus	C16.2	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; fundus	C16.1	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; greater curvature NEC	C16.6	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; lesser curvature NEC	C16.5	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; overlapping lesion	C16.8	-	-	-	-	-
stomach; prepylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; pylorus	C16.4	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; wall NEC	C16.9	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; wall NEC; anterior NEC	C16.8	C78.89	D00.2	D13.1	D37.1	D49.0
stomach; wall NEC; posterior NEC	C16.8	C78.89	D00.2	D13.1	D37.1	D49.0

Need help? [Check out the User's Guide.](#)

Rate this tool



A red flag indicates that the code is a non-specific code and there must be additional information (such as a "child" code or a 7th character) to be a complete code.

Click on the code for more specific codes.